	Application No.	A
	Application No.	Applicant(s)
Al-Al. A All Little	10/617,618	HERMANSON, JEFFREY ALLEN
Notice of Allowability	Examiner	Art Unit
	Eric B. Compton	3726
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this apport or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>an amendment filed 1</u>	<u>13 June 2006</u> .	
2. The allowed claim(s) is/are <u>1-8</u> .		
 3. Acknowledgment is made of a claim for foreign priority unall All b) Some* c) None of the: 1. Certified copies of the priority documents have 		
2. Certified copies of the priority documents have been received in Application No		
3. ☑ Copies of the certified copies of the priority documents have been received in Application 140		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<u> </u>		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 1	
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	* *
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary Paper No./Mail Dat	ė
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. 🛛 Examiner's Amenda	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stateme	nt of Reasons for Allowance
•	9.	
•		

Application/Control Number: 10/617,618 Page 2

Art Unit: 3726

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jerald Nagae on September 8, 2006.

The application has been amended as follows:

In claim 1, line 20, "interior" has been changed to -inner--.

Remarks

- 2. The above amendment was made to reconcile the correct limitation term used throughout the claims.
- 3. Applicant's amendment and arguments in support thereof dated June 13, 2006 have generally been found persuasive.
- 4. While Price is available as prior art, see 35 U.S.C. 102(e)(1) ("the invention was described in an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent"), Applicant is correct that the reference does not teach or suggest "the inner hem is connected to the outer insertion flange such that the inner mating flange and the outer mating flange are

Art Unit: 3726

aligned to form substantially one plane." Furthermore, as pointed out by Applicant, Walsh does not teach what is missing from Price.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric B. Compton whose telephone number is (571) 272-4527. The examiner can normally be reached on M-F 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David P. Bryant can be reached on (571) 272-4526. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

> Eric B. Compton Primary Examiner

Art Unit 3726